



MATERIALS LIST

- 1 CONNECTOR, SWAGelok SS-400-1-6ST
- 2 ELBOW, SWAGelok SS-400-2-6ST
- 3 HANDLE, McMASTER 1897A35
- 4 NUT, ACORN, SELF LOCKING, 10-32
- 5 NUT, LOCKING, 10-32
- 6 O-RING, BUNA-N, DURO A50, AS568A-236
- 7 BOTTOM PLATE, ALUMINUM, DWG 200912-14
- 8 HANDLE PLATE, ALUMINUM, DWG 200912-11
- 9 TOP PLATE, ALUMINUM, DWG 200912-13
- 10 SCREW, 10-24 X 3/8" FLAT HEAD
- 11 SCREW, 10-32 X 3/8" PAN HEAD
- 12 ROD, CONNECTING 7-7/8" 10-32, DWG 200912-15
- 13 TUBE, POLYCARBONATE 3.5" OD X 3.25" ID X 6"
- 14 VALVE, SWAGelok SS-1RS4
- 15 MALE ADAPTER, SWAGelok SS-4-TA-1-4ST

SPECIFICATIONS

VOLUME: 61.3 CU IN (1.06 QT) PER CHAMBER
 TESTED PRESSURE: 100 PSI
 MAXIMUM TEMPERATURE: 140° F
 FLUID: WATER

CAUTION: DO NOT APPLY FREON OR SOLVENTS
 TO POLYCARBONATE

8	CONNECTING ROD PER DWG	GES	10/13/19	
7	ADJUST FIT FOR HANDLE PL	GES	7/26/18	
6	SAE/MS AT VALVES	GES	1/25/18	
5	CHANGE SCREWS, ITEMS 10,11	GES	4/20/16	
4	CHANGE O-RING, HANDLE	GES	2/24/16	
3	TOP FITTINGS PART #	GES	11/1/11	
2	AS BUILT	GES	10/21/11	
1	EDITORIAL CHANGE - ADD O-RING	GES	2/9/11	
NO.	REVISION	DRWN	APPR	DATE

CAMP CREEK TECHNOLOGIES, INC			
WET RIG ASSEMBLY			
DRAWN	GES	10/13/2009	SCALE 1" = 1"
APPR			FILE 200912-00...dwg
C	200912-00		REV 8